Dane aktualne na dzień: 26-11-2026 19:17

Link do produktu: https://www.skyrc.pl/skyrc-t6755-55w7a-acdc-oryginalna-ladowarka-p-152.html



SkyRC T6755 55W/7A AC/DC Oryginalna ładowarka

Cena	**319,00 zł**
Dostępność	**Aktualnie niedostępny**
Czas wysyłki	**24 godziny**
Numer katalogowy	**150**
Kod producenta	**SK-100064**
Producent	**SkyRC**

Opis produktu

Specyfikacja

Input Voltage	AC Input: 100-240V/DC Input: 11-18V
Controls	Color LCD Touch Screen
Display Type	65.85*49.63mm graphic touch sensitive LCD 3.2"(320*240 dot) screen and four color theme
Display Backlight	White
PC Communications	USB Port for PC Control & Firmware Upgrade
Case Material	Plastic
Cooling System	Built-in, one 40*40*10mm fan
Case Size	140*165*60mm

Weight	540g
External Port	Balance Socket-XH, Temperature Probe Socket, DC Input, USB port for PC, AC Input Power Port
Delta Peak Detection	NiCd: 3-15mV/cell NiMH: 3-15mV/cell
Charge Cutoff Temperature	20-80°C (adjustable)
Charge Voltage	NiCd/NiMH: Delta peak detection LiPo: 4.18-4.3V/cell LiIon: 4.08-4.2V/cell
Balance Current	200mA/cell
Reading Voltage Range	0.3-5.0V/cell
Battery Types/Cells	NiCd/NiMH: 1-15cells LiPo/LiIon/LiFe: 1-6cells Pb: 2-20V
Battery Capacity Range	NiCd/NiMH: 100-20,000mAh LiPo/LiIon/LiFe: 100-20,000mAh Pb: 100-20,000mAh
Charge Current	0.1-7.0A
Safety Timer	1-720 minutes, Off

	Charge Wattage		55W
	Discharge Current		0.1-2.0A (±10%)
	Discharge Cut-off Voltage		NiCd/NiMH: 0.1-1.1V/cell LiPo: 3.0-3.3V/cell LiIon: 2.9-3.2V/cell
	Discharge Wattage		5W
	Balance Cells		6 cells
	Memory		5 different charge/discharge profiles
	Charge Method		CC/CV for lithium types and lead (pb) batteries, Delta-peak Sensitivity for NiMH/NiCd